

406-6^D

**Second Size
Woollies in
P&B wools of
4-ply weight**



Raglan Jersey Suit

instructions for the trousers start on page 9

MATERIALS

3 oz. PATONS BEEHIVE Fingering 4-ply, Patonised. Two No. 12 and two No. 10 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge. Four buttons.

You must use the P & B brand recommended above to be sure of a successful result.

MEASUREMENTS

To fit 19 inch chest. Length from top of shoulder, 10½ ins. Sleeve seam, 7 ins.

These instructions apply to the above measurements only; adaptations to other sizes are not available.

TENSION

7 sts. and 9 rows to one square inch on No. 10 needles, measured over stocking stitch. *See below for how to check your Tension, and Abbreviations.*

FRONT

Using No. 12 needles, cast on 66 sts. Work 18 rows in K.1, P.1 rib, inc. 1 st. at end of last row (67 sts.).

**** Change to No. 10 needles and proceed in stocking stitch as follows:—**

1st row—K.

2nd row—K.1, P. to last st., K.1.

Continue in stocking stitch until work measures 6 ins. from beg., finishing at end of a P. row.

PLEASE READ THIS FIRST

ABBREVIATIONS

K.=knit; P.=purl; st.=stitch; sl.=slip, w.f.=wool forward; w.r.n.=wool round needle; p.s.s.o.=pass slip stitch over; tog.=together; t.b.l.=through back of loops; inc.=increase by working into front and back of stitch; dec.=decrease by working 2 sts. together; beg.=beginning; alt.=alternate; rep.=repeat; patt.=pattern; incl.=inclusive; ins.=inches.

TENSION

Before you knit these designs check your tension carefully. Take a pair of No. 10 needles and some Patons Beehive Fingering 4-ply, Patonised. Cast on 14 stitches and work in stocking stitch—1 row knit; 1 row purl—for 18 rows. Cast off; press lightly on wrong side. The tension should be 7 stitches and 9 rows to one square inch and the knitted square should measure 2 inches each

way. If the square is bigger your work is too loose; try a size finer needle. If it is smaller your work is too tight; try a size coarser needle.

If you knit to the correct tension in stocking stitch, you will knit naturally to the correct tension for any stitch in this booklet. If you alter the needles to obtain the correct tension in stocking stitch, corresponding alterations must be made to the needles throughout.

MOTIF KNITTING

Motif fabrics are perfectly simple to produce providing that the knitter bears the following points in mind while the work is in progress:—

Always use short lengths of wool for each colour, stranding across motifs only, and twisting the colours under and over where they meet, thus preventing gaps in the work. Take care not to pull the fabric when darning in the ends.



Shape raglan as follows:—

1st row—Cast off 3 sts., K. to end.

2nd row—Cast off 3 sts., P. to end.

3rd row—K.1, K.2 tog.t.b.l., K. to last 3 sts., K.2 tog., K.1.

4th row—K.1, P. to last st., K.1.

5th–8th rows—Rep. 3rd and 4th rows twice. **

Place centre panel as follows:—

1st row—K.1, K.2 tog.t.b.l., K.23, P.3, K.23, K.2 tog., K.1.

2nd and alt. rows—K.1, P. to last st., K.1.

3rd row—K.1, K.2 tog.t.b.l., K.22, P.1, K.1, P.1, K.22, K.2 tog., K.1.

4th row—As 2nd row.

Keeping centre panel correct as placed on these 4 rows and still dec. at armhole edge as before, work 4 more rows.

Keeping centre panel correct, place side panels as follows:—

1st row—K.1, K.2 tog.t.b.l., K.12, (P.3, K.4) twice, P.3, K.12, K.2 tog., K.1.

2nd row—K.1, P. to last st., K.1.

3rd row—K.1, K.2 tog.t.b.l., K.11, (P.1, K.1, P.1, K.4) twice, P.1, K.1, P.1, K.11, K.2 tog., K.1.

4th row—As 2nd row.

Keeping panels correct as placed on these 4 rows, continue dec. at armhole edge on next and every alt. row until 31 sts. remain.

continued on page 8

Bears in his Pockets

an amusing dolman cardigan to make an alternative suit

MATERIALS

3 oz. PATONS BEEHIVE Fingering 4-ply, Patonised, Main Shade. Oddments of contrasting colour for motifs. Length of black for embroidery. Two No. 12 and two No. 10 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge. Six buttons.

You must use the P & B brand recommended above to be sure of a successful result.

MEASUREMENTS

To fit 19 inch chest. Length from top of shoulder, 9½ ins.

These instructions apply to the above measurements only; adaptations to other sizes are not available.

TENSION

7 sts. and 9 rows to one square inch on No. 10 needles, measured over stocking stitch. *See page 2 for how to check your Tension, and Abbreviations.*

LEFT FRONT

Using No. 12 needles, cast on 31 sts.

1st row—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row—* K.1, P.1, rep. from * to last st., K.1.

Work 14 more rows in rib.

Change to No. 10 needles and proceed in stocking stitch until work measures 4½ ins. from beg., finishing at end of a P. row.

Shape for Sleeve by inc. 1 st. at side edge on next and every alt. row until there are 36 sts., every row until there are 40 sts. **

Next row—P. to end, cast on 6 sts. (46 sts.).

Place Chart and commence front slope shaping as follows:—

1st row—K.23, work next 13 sts. from 1st row of Chart, K.8, K.2 tog.

2nd row—P.9, work next 13 sts. from 2nd row of Chart, P. to end, cast on 6 sts.

3rd row—K.29, work 13 sts. from Chart, K.9.

4th row—As 2nd row.

5th row—K.35, work 13 sts. from Chart, K.7, K.2 tog.

6th row—P.8, work 13 sts. from Chart, P. to end, cast on 6 sts.

7th row—K.41, work 13 sts. from Chart, K.8.

8th row—As 6th row (68 sts.).

9th row—K.47, work 13 sts. from Chart, K.6, K.2 tog.

10th row—P.7, work 13 sts. from Chart, P. to end.

*** Continue in stocking stitch, dec. at front slope on 3rd row following and every following 4th row until 64 sts. remain.

Continue on these sts. until work measures 3 ins. at short (sleeve) edge, finishing at end of a K. row. ***


Break off wool, slip sts. on to a length of wool and leave.

RIGHT FRONT

Work as Left Front until ** is reached (40 sts.). Work 1 row.

Place Chart and commence front slope as follows:—

1st row—K.2 tog., K.8, work 13 sts. from 1st row of Chart, K. to end, cast on 6 sts.



□ MAIN SHADE ⊗ CONTRAST

2nd row—P.23, work 13 sts. from Chart, P.9.

Continue in this manner, dec. at front slope on every 4th row from previous dec., at the same time casting on 6 sts. at end of next and every alt. row until 5 groups of 6 sts. in all have been cast on.

Work 1 row, thus completing Chart.

Complete as Left Front, working from *** to ***.

Next row—P. to end, cast on 17 sts. for back of neck, slip sts. of Left Front on to left-hand needle, with wrong side of work facing P. to end (145 sts.).

Continue in stocking stitch until work measures 6 ins. at sleeve edge, finishing at end of a P. row.

Cast off 6 sts. at beg. of next 10 rows.

Dec. 1 st. at both ends of next 5 rows, then both ends of every alt. row until 67 sts. remain.

Continue on these sts. until work measures same as Fronts up to commencement of rib.

Change to No. 12 needles.

Work in rib as at commencement for 15 rows.

Cast off in rib.

FRONT BAND

Using No. 12 needles, cast on 7 sts.

1st row—K.2, (P.1, K.1) twice, K.1.

2nd row—(K.1, P.1) 3 times, K.1.

3rd row—K.2, P.1, w.r.n., P.2 tog., K.2.

Continue in rib, working a buttonhole as on 3rd row on every 12th row from

continued on page 8



Double-breasted Dolman Jacket

this can also be worn as a suit with the trousers on page 9

MATERIALS

3 oz. PATONS BEEHIVE Fingering 4-ply, Patonised. Two No. 12 and two No. 10 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge
Four buttons.

You must use the P & B brand recommended above to be sure of a successful result.

MEASUREMENTS

To fit 19 inch chest. Length, $8\frac{3}{4}$ ins.

These instructions apply to the above measurements only; adaptations to other sizes are not available.

TENSION

7 sts. and 9 rows to one square inch on No. 10 needles, measured over stocking stitch. *See page 2 for how to check your Tension, and Abbreviations.*

LEFT FRONT

Using No. 12 needles, cast on 45 sts.

1st row—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row—* K.1, P.1, rep. from * to last st., K.1.

3rd–6th rows—Rep. 1st and 2nd rows twice.

7th row (on which buttonholes are worked)—K.2, (P.1, K.1) 12 times, w.f., K.2 tog., (P.1, K.1) 7 times, w.f., K.2 tog., K.1.

8th row—As 2nd row.

Work 6 more rows in rib, inc. 1 st. at end of last row (46 sts.).

Change to No. 10 needles and proceed in all-over patt. with rib panel as follows:—

1st row—K.1, (P.3, K.5) 3 times, (P.1, K.1) 10 times, K.1.

2nd row—(K.1, P.1) 10 times, K.1, P. to end.

3rd row—K.1, (P.1, K.1, P.1, K.5) 3 times, (P.1, K.1) 10 times, K.1.

4th row—As 2nd row.

These 4 rows form the patt.

Rep. these 4 rows once.

Next row—K.1, (P.3, K.5) 3 times, P.1, K.1, w.f., K.2 tog., rib to last 3 sts., w.f., K.2 tog., K.1.

**** Continue in patt.** until work measures $3\frac{1}{2}$ ins. from beg., finishing at side edge.

Shape for sleeves by inc. 1 st. at side edge on next and every alt. row until there are 51 sts. working extra sts. into patt., inc. 1 st. at side edge on next 2 rows (53 sts.).

Work 1 row.

Continue in patt., casting on 4 sts. at beg. of next and every alt. row until there are 69 sts., 8 sts. until there are 85 sts.

Continue in patt. on these sts. until work measures 3 ins. at short (sleeve) edge, finishing at short edge.

Next row—Work to last 21 sts., cast off these 21 sts. ******

Slip remaining sts. on to a length of wool and leave.

RIGHT FRONT

Using No. 12 needles, cast on 45 sts.

1st row—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row—* K.1, P.1, rep. from * to last st., K.1.

Work these 2 rows 6 times more, inc. 1 st. at beg. of last row (46 sts.).

Change to No. 10 needles and proceed in all-over patt. with rib panel as follows:—

1st row—K.1, (K.1, P.1) 10 times, (K.5, P.3) 3 times, K.1.

2nd row—P. to last 21 sts., (K.1, P.1) 10 times, K.1.

3rd row—K.1, (K.1, P.1) 10 times, (K.5, P.1, K.1, P.1) 3 times, K.1.

4th row—As 2nd row.

These 4 rows form the patt.

Work as Left Front from ** to **.

Slip sts. of Left Front on to a No. 10 needle, point facing rib panel, rejoin wool to these sts., cast on 19 sts. for back of neck, P. across these sts., P. to end (147 sts.).

Continue in patt. on all sts. for **Back** until work measures $6\frac{1}{2}$ ins. at side edge.

Cast off 8 sts. at beg. of next 4 rows, 4 sts. at beg. of next 8 rows.

Dec. 1 st. at both ends of next 3 rows, then at both ends of every alt. row until 69 sts. remain.

Continue on these sts. until **Back** measures same as **Fronts** up to commencement of rib.

Change to No. 12 needles and work 13 rows in rib as at commencement of **Fronts**.
Cast off in rib.

CUFFS

Using No. 12 needles, with right side of work facing **knit up** 39 sts. along sleeve edge.

Work 13 rows in rib as at lower edge.

Cast off in rib.



TO MAKE UP

Omitting ribbing, with wrong side of work facing block each piece by pinning out round edges. Omitting ribbing, press each piece using a warm iron and damp cloth. Using a back-stitch seam join side and sleeve seams. Attach buttons to correspond with button-holes.

Press seams.

continued from page 5

previous buttonhole until 6 buttonholes in all have been worked.

Continue without further buttonholes until band measures $22\frac{1}{2}$ ins. (not stretched) from beg.

Cast off in rib.

POCKETS (TWO)

Using No. 10 needles, cast on 15 sts.

1st–5th rows—Commencing with a K. row, work 5 rows in stocking stitch.

6th row—K. (thus making a ridge).

7th row—K.

8th row (on which paws are commenced)—P.1, P.3 Contrast, P.7, P.3 Contrast, P.1.

9th row—K.1, K.3 Contrast, K.7, K.3 Contrast, K.1.

10th row—As 8th row.

11th row—K.

12th row—P.3, K.9, P.3.

13th row—K.

14th row—P.3, (K.1, P.1) 4 times, K.1, P.3.

Rep. 11th–14th rows incl. once, then 11th and 12th rows once.

Work 2 rows in stocking stitch.

Shape point as follows:—

continued from page 3

Work 1 row.

Shape neck as follows:—

Next row—K.1, K.2 tog.t.b.l., K.4, P.2, cast off 13, work to last 3 sts., K.2 tog., K.1.

Continue on each group of 8 sts., dec. at armhole edge on every alt. row as before, at the same time dec. 1 st. at neck edge on next 3 rows.

Continue without further shaping at neck edge but still dec. at armhole edge as before until 1 st. remains.

Work 1 row.

Fasten off.

BACK

Using No. 12 needles, cast on 68 sts.

Work 18 rows in K.1, P.1 rib.

Work as Front from ** to ** (56 sts.).

Divide back as follows:—

Next row—K.1, K.2 tog.t.b.l., K.27, turn.

1st row—K.2 tog.t.b.l., K. to last 2 sts., K.2 tog.

2nd row—P.2 tog., P. to last 2 sts., P.2 tog.t.b.l.

Rep. these 2 rows twice.

Next row—Sl.1, K.2 tog., p.s.s.o.

Fasten off.

CUFFS

Work as Cuffs for coat (page 7).

EMBROIDERY

Using a length of black wool, embroider eyes, nose and paws as on photograph.

TO MAKE UP

Omitting ribbing, with wrong side of work facing block by pinning out round edges. Omitting ribbing, press using a warm iron and damp cloth. Using a back-stitch seam join side and sleeve seams. Fold over pocket at ridge and stitch down cast-on edge on wrong side. Stitch Pockets into position as on photograph. Using a flat seam stitch on Front Band, placing buttonholes on right side for a girl and on left side for a boy. Attach buttons. Press seams.

Proceed on this group of 29 sts. as follows:—

1st row—K.4, P. to last st., K.1.

2nd row—K.1, K.2 tog.t.b.l., K. to end.

3rd and 4th rows—As 1st and 2nd.

5th row—As 1st row.

6th row (On which a buttonhole is worked) — K.1, K.2 tog.t.b.l., K.20, K.2 tog., w.f., K.2.

Continue dec. at armhole edge on every alt. row and working a buttonhole as on 6th row on every 10th row from previous buttonhole until 3 buttonholes in all have been worked.

Work 6 rows (13 sts.).

Next row—K.4, slip these 4 sts. on to a safety pin and leave, P. to last st., K.1. Cast off.

Rejoin wool to sts. on needle, cast on 4 sts. for underflap.

1st row—K. to last 3 sts., K.2 tog., K.1.

2nd row—K.1, P. to last 4 sts., K.4.
Work these 2 rows 15 times more (14 sts.).

Next row—As 1st row.

Next row—K.1, P. to last 4 sts., slip these 4 sts. on to a safety pin and leave.
Cast off.

SLEEVES

Using No. 12 needles, cast on 38 sts.

Work 15 rows in K.1, P.1 rib.

Next row—Rib 5, (inc. in next st., rib 6) 4 times, inc. in next st., rib to end (43 sts.).

Change to No. 10 needles and proceed in stocking stitch as on Front, inc. 1 st. at both ends of 7th and every following 8th row until there are 53 sts.

Continue on these sts. until work measures 7 ins. from beg., finishing at end of a P. row.

Work rows 1–4 incl. of raglan shaping as on Front, then rep. 3rd and 4th rows 19 times more (7 sts.).

Cast off.

TO MAKE UP

Omitting ribbing, with wrong side of work facing block each piece by pinning out round edges. Omitting ribbing, press each piece using a warm iron and damp cloth. Using a flat seam join side and sleeve seams and stitch Sleeves into position.

NECKBAND

Slip 4 sts. from top of left half of Back on to a No. 12 needle, using same needle, with right side of work facing **knit up** 59 sts. round neck, K. across 4 sts. from second safety pin.

1st row—K.5, * P.1, K.1, rep. from * to last 6 sts., P.1, K.5.

2nd row—K.4, * P.1, K.1, rep. from * to last 5 sts., P.1, K.2 tog., w.f., K.2.

Keeping garter stitch and rib correct, work 3 rows.

Cast off.

Stitch down end of underflap.

Attach buttons. Press seams.

Boy's Trousers

MATERIALS

2 oz. PATONS BEEHIVE Fingering 4-ply, Patonised. Two No. 12 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge. Length of elastic.

You must use the P & B brand recommended above to be sure of a successful result.

MEASUREMENTS

Width at widest part, 22 ins. Length of front seam, 7 ins.

These instructions apply to the above measurements only; adaptations to other sizes are not available.

TENSION

8 sts. and 10 rows to one square inch on No. 12 needles, measured over stocking stitch. *See page 2 for how to check your Tension, and Abbreviations.*

RIGHT LEG

Using the **two** needle method, cast on 76 sts.

Work in stocking stitch for 1½ ins., finishing at end of a P. row.

Next row—**Make hem** by knitting tog. one st. from needle and one loop from cast-on edge all across row.

Next row—P.

Shape back as follows:—

1st row—K.11, turn.

2nd and alt. rows—Sl.1, P. to end.

3rd row—K.22, turn.

5th row—K.33, turn.

Continue in this manner, working 11 more sts. on every alt. row until the row "K.55, turn" has been worked.

Next row—As 2nd row.

Continue in stocking stitch on all sts. until work measures 2½ ins. from beg., measured at short edge of work and finishing at end of a P. row.

Commence **back edge shaping** as follows:

Next row—Inc. in first st., K. to end.

Work 5 rows in stocking stitch.

****** Work last 6 rows twice more.

Now inc. at both ends of next and every following 4th row until there are 91 sts., both ends of every alt. row until there are 93 sts.

Next row—P. ******

Shape for leg as follows:—

1st row—Inc. in first st., K.50, turn.

2nd and alt. rows—Sl.1 purlwise, P. to end.

3rd row—Inc. in first st., K.44, turn.

5th row—K.39, turn.

7th row—K.2 tog., K.30, turn.

9th row—K.2 tog., K.22, turn.

11th row—K.2 tog., K.14, turn.

13th row—K.2 tog., K.6, turn.

15th row—K. to last st. of row, inc. in last st.

Shape front portion of leg as follows:—

1st row—P.13, turn.

2nd row—Sl.1, K. to last st., inc. in last st.

3rd row—P.12, turn.

4th row—Sl.1, K. to end.

5th row—P.10, turn.

6th and alt. rows—Sl.1, K. to last 2 sts., K.2 tog.

7th row—P.8, turn.

9th row—P.6, turn.

11th row—P.4, turn.

13th row—P.2, turn.

14th row—K.2 tog.

Work 9 rows in K.1, P.1 rib, dec. 1 st. at both ends of every alt. row.

Cast off in rib.

LEFT LEG

Work as Right Leg until row making hem has been worked.

Shape back as follows:—

1st row—P.11, turn.

2nd and alt. rows—Sl.1, K. to end.

3rd row—P.22, turn.

Continue in this manner, working 11 more sts. on every alt. row until the row "P.55, turn" has been worked.

Next row—As 2nd row.

Continue in stocking stitch until work measures $2\frac{1}{4}$ ins. from beg., measured at front edge, finishing at end of a P. row.

Commence **back edge shaping** as follows:

Next row—K. to last st., inc. in last st.

Work 5 rows in stocking stitch.

Work as Right Leg from ****** to ******.

Shape front portion of leg as follows:—

1st row—Inc. in first st., K.11, turn.

2nd and alt. rows—Sl.1, P. to end.

3rd row—Inc. in first st., K.10, turn.

5th row—K.10, turn.

7th row—K.2 tog., K.7, turn.

9th row—K.2 tog., K.5, turn.

11th row—K.2 tog., K.3, turn.

13th row—K.2 tog., K.1, turn.

14th row—Sl.1, P.1.

15th row—K. to last st. of row, inc. in last st.

Shape for leg as follows:—

1st row—P.52, turn.

2nd row—Sl.1, K. to last st., inc. in last st.

3rd row—P.46, turn.

4th row—Sl.1, K. to end.

5th row—P.39, turn.

6th and alt. rows—Sl.1, K. to last 2 sts., K.2 tog.

7th row—P.31, turn.

9th row—P.23, turn.

11th row—P.15, turn.

13th row—P.7, turn.

14th row—Sl.1, K.4, K.2 tog.

Work ribbing as on Right Leg.

TO MAKE UP

With wrong side of work facing, block each piece by pinning out round edges. Press using a warm iron and damp cloth. Using a back-stitch seam join front, back and leg seams, leaving opening in hem for threading elastic. Thread elastic through hem at waist. Stitch up opening. Press seams.

*Please address knitting enquiries concerning this booklet to
Dept. SHB, Patons & Baldwins Limited, Great West Road, Brentford, Middlesex
Prices apply only in Great Britain and Northern Ireland*

PUBLISHED BY PATONS & BALDWIN'S LIMITED

Made and Printed in Great Britain by Percy Lund, Humphries & Co., Ltd., Bradford and London. 6273

INCHES
1
2
3
4
5
6
7